



FEATURES:

- ✓ Architectural acoustic luminaire with direct lighting distribution.
- ✓ Removable fin shaped Eco-Felt baffles are attached to the acoustic top plate.
- ✓ Available in one standard size with various baffle heights.
- ✓ Class1 Fire rated with 0.7 Noise Reduction Coefficient / 1" Acoustic.
- ✓ Light source: LED boards.
- ✓ Diffused illumination is provided by a frosted opal lens.
- ✓ Extruded aluminum body comes with a built-in-driver and available in a black or white finish.
- ✓ LED strips are rated for 60,000 hrs. L 80 with +90 CRI.
- ✓ Suitable for suspended installations.
- ✓ Custom finished and modifications are available.
- ✓ ED luminaires are certified to CSA and UL standards.

reinventlight

SPECIFICATION:

Sonic DRUM+

TYPE	HEIGHT	SIZE	SOURCE	RADIANCE	VOLTAGE	DRIVER	MOUNTING	LENS	DRUM FINISH	CCT	ACOUSTIC
											/

Enter the Product Code into the boxes above.

TYPE

- ☐ FS - Fins

HEIGHT

- ☐ 12 in
☐ 14 in
☐ 16 in

SIZE

- ☐ 63 in

SOURCE

- ☐ 25WLED
☐ 50WLED

RADIANCE

- ☐ DD - Direct

VOLTAGE

- ☐ UNV - 120/277V
☐ 347V¹
 1. Verify availability.

DRIVER

- ☐ ST - On/Off
☐ DL - 0-10V Dim (1%)
☐ DLO - 0-10V Dim (to Off)
☐ DL2 - 0-10V Dim (TW)
☐ CV - Constant Voltage (RGBW)
☐

Specify dimming protocol.

MOUNTING

- ☐ S6B - 6ft Cord BK¹
☐ S6W - 6ft Cord WH¹
☐ S ft²
 1. Canopy match the Cord color.
 2. Specify Suspension length/color.

LENS

- ☐ OP - Opal

ED DRUM+ FINISH

- ☐ BK - Black¹
☐ WH - White²
 1. RAL 9005
 2. RAL 9003

CCT

- ☐ 30K - 3000 Kelvin/90CRI
☐ 35K - 3500 Kelvin/90CRI
☐ 40K - 4000 Kelvin/90CRI
☐ RGBW¹
☐ TW - Tunable White (27K-65K)²
☐

1. Available with CV.
 2. Available with DL2.
 Specify required CCT.

ACOUSTIC FINISH

Specify additional color for Two-Tone, for example 11/04.



LUMEN OUTPUT:


Watts	30K	35K	40K
25 W	2205 lm	2250 lm	2295 lm
50 W	4410 lm	4500 lm	4590 lm




Project:

Type:


SIZE:



Fin-A x 12




Fin-B x 12




H - Height	S - Size
12 in = 11.75 in	63.00 in
14 in = 13.75 in	L - LUMINAIRE
16 in = 15.75 in	23.75 in
W - Fin Width	
W1 = 15.67 in	W2 = 22.75 in


FINISHES:




02/11




26/01




09/12



01/15



25/04



06/01